

## Consumer Retail Series

### LED Pendant Series



Interior Illumination

Eslight's LED Pendant Series is designed to be mounted or hung from ceilings. The LED Pendant Series is part of the WLED "white light LED" family and incorporates High Power White LED's.

The LED Pendant Series is made of pure aluminum and is treated with special anode oxidation process, which produces an even grain appearance. The treated surface appears elegant, refined, and timeless. Within the LED Pendant Series there are many distinct and bold designs incorporating the latest in fit, form, function, and fashion.

The LED Pendant Series allows direct connection to existing AC wiring.

Eslight's LED Pendant Series is used for downlight illumination from ceilings or down light illumination of specific points of interest on counter tops, tables, office desks, end tables, and much more.

# Consumer Retail Series



Interior Illumination LED Pendant Series

91864

LED Pendant Light



Light Source: High Power LEDs  
 Input Voltage: 100-240V AC 50/60Hz  
 Power Consumption: 4.8W  
 Shade/Glass Type: Etched White Frosted Glass  
 Color Temperature: WW/NW  
 Type of Hanging Device: Clear Electrical Wire ,  
 Length: 72"  
 Available Finishes: Brushed Nickel/Bronze/  
 Chrome/Brown




91874

LED Pendant Light



Light Source: High Power LEDs  
 Input Voltage: 100-240V AC 50/60Hz  
 Power Consumption: 4.8W  
 Shade/Glass Type: Etched White Alabaster Glass  
 Color Temperature: WW/NW  
 Type of Hanging Device: Clear Electrical Wire ,  
 Length: 72"  
 Available Finishes: Brushed Nickel/Bronze/  
 Chrome/Brown




91884

LED Pendant Light



Light Source: High Power LEDs  
 Input Voltage: 100-240V AC 50/60Hz  
 Power Consumption: 4.8W  
 Shade/Glass Type: Etched White Frosted Glass  
 Color Temperature: WW/NW  
 Type of Hanging Device: Clear Electrical Wire ,  
 Length: 72"  
 Available Finishes: Brushed Nickel/Bronze/  
 Chrome/Brown





91894

LED Pendant Light



Light Source: High Power LEDs  
 Input Voltage: 100-240V AC 50/60Hz  
 Power Consumption: 4.8W  
 Shade/Glass Type: Etched White Alabaster Glass  
 Color Temperature: WW/NW  
 Type of Hanging Device: Clear Electrical Wire ,  
 Length: 72"  
 Available Finishes: Brushed Nickel/Bronze/  
 Chrome/Brown




91904

LED Pendant Light



Light Source: High Power LEDs  
 Input Voltage: 100-240V AC 50/60Hz  
 Power Consumption: 4.8W  
 Shade/Glass Type: Green Art Glass  
 Color Temperature: WW/NW  
 Type of Hanging Device: Clear Electrical Wire ,  
 Length: 72"  
 Available Finishes: Brushed Nickel/Bronze/  
 Chrome/Brown




91914

LED Pendant Light



Light Source: High Power LEDs  
 Input Voltage: 100-240V AC 50/60Hz  
 Power Consumption: 4.8W  
 Shade/Glass Type: Champagne marble Glass  
 Color Temperature: WW/NW  
 Type of Hanging Device: Clear Electrical Wire ,  
 Length: 72"  
 Available Finishes: Brushed Nickel/Bronze/  
 Chrome/Brown



# Consumer Retail Series



Interior Illumination LED Pendant Series

91924

LED Pendant Light



Light Source: High Power LEDs  
 Input Voltage: 100-240V AC 50/60Hz  
 Power Consumption: 4.8W  
 Shade/Glass Type: Frosted Opal Glass  
 Color Temperature: WW/NW  
 Type of Hanging Device: Clear Electrical Wire ,  
 Length: 72"  
 Available Finishes: Brushed Nickel/Bronze/  
 Chrome/Brown





92034

LED Pendant Light



Light Source: High Power LEDs  
 Input Voltage: 100-240V AC 50/60Hz  
 Power Consumption: 4.8W  
 Shade/Glass Type: Black Art Glass (S-shaped Pattern)  
 Color Temperature: WW/NW  
 Type of Hanging Device: Clear Electrical Wire ,  
 Length: 72"  
 Available Finishes: Brushed Nickel/Bronze/  
 Chrome/Brown




92044

LED Pendant Light



Light Source: High Power LEDs  
 Input Voltage: 100-240V AC 50/60Hz  
 Power Consumption: 4.8W  
 Shade/Glass Type: Opal Art Glass (Egg-shaped Pattern)  
 Color Temperature: WW/NW  
 Type of Hanging Device: Clear Electrical Wire ,  
 Length: 72"  
 Available Finishes: Brushed Nickel/Bronze/  
 Chrome/Brown




92054

LED Pendant Light



Light Source: High Power LEDs  
 Input Voltage: 100-240V AC 50/60Hz  
 Power Consumption: 4.8W  
 Shade/Glass Type: Opal Art Glass (Cloudy Pattern)  
 Color Temperature: WW/NW  
 Type of Hanging Device: Clear Electrical Wire ,  
 Length: 72"  
 Available Finishes: Brushed Nickel/Bronze/  
 Chrome/Brown





92064

LED Pendant Light



Light Source: High Power LEDs  
 Input Voltage: 100-240V AC 50/60Hz  
 Power Consumption: 4.8W  
 Shade/Glass Type: Opal Art Glass (Dandelion Pattern)  
 Color Temperature: WW/NW  
 Type of Hanging Device: Clear Electrical Wire ,  
 Length: 72"  
 Available Finishes: Brushed Nickel/Bronze/  
 Chrome/Brown




90994

LED Pendant Light



Light Source: High Power LEDs  
 Input Voltage: 100-240V AC 50/60Hz  
 Power Consumption: 4.8W  
 Shade/Glass Type: Clear Glass  
 Color Temperature: WW/NW  
 Type of Hanging Device: Clear Electrical Wire ,  
 Length: 72"  
 Available Finishes: Brushed Nickel/Bronze/  
 Chrome/Brown



# Consumer Retail Series


Interior Illumination LED Pendant Series

91014-1

LED Pendant Light



Light Source: High Power LEDs  
 Beam Angle: 40°  
 Input Voltage: 100-240V AC 50/60Hz  
 Power Consumption: 7.9W  
 Material: Aluminum + Iron Power Coated  
 Color Temperature: WW/NW  
 Type of Hanging Device: Clear Electrical Wire ,  
 Length: 72"  
 Available Finishes: Brushed Nickel/White/Black/Brown  
 Dimmable: 0% - 100%




91014-2

SMD 3528 LED Pendant Light



Light Source: SMD LEDs  
 Beam Angle: 55°  
 Input Voltage: 100-240V AC 50/60Hz  
 Power Consumption: 8W  
 Material: Aluminum + Iron Power Coated  
 Color Temperature: WW/NW  
 Type of Hanging Device: Clear Electrical Wire ,  
 Length: 72"  
 Available Finishes: Brushed Nickel/White/Black/Brown  
 Dimmable: 0% - 100%




91014-3

SMD 3528 LED Pendant Light



Light Source: SMD LEDs  
 Beam Angle: 75°  
 Input Voltage: 100-240V AC 50/60Hz  
 Power Consumption: 8.2W  
 Material: Aluminum + Iron Power Coated  
 Color Temperature: WW/NW  
 Type of Hanging Device: Clear Electrical Wire ,  
 Length: 72"  
 Available Finishes: Brushed Nickel/White/Black/Brown  
 Dimmable: 0% - 100%





90884-1

LED Pendant Light



Light Source: High Power LEDs  
 Beam Angle: 24°  
 Input Voltage: 100-240V AC 50/60Hz  
 Power Consumption: 4.8W  
 Shade/Glass Type: Crystal Prism  
 Color Temperature: WW/NW  
 Type of Hanging Device: Clear Electrical Wire ,  
 Length: 72"  
 Available Finishes: Brushed Nickel/Bronze/  
 Alum. Oxidation /Brown





90884-2

RGB LED Pendant Light



Light Source: RGB LEDs  
 Beam Angle: 24°  
 Input Voltage: 100-240V AC 50/60Hz  
 Power Consumption: 5.3W  
 Shade/Glass Type: Crystal Prism  
 Type of Hanging Device: Clear Electrical Wire ,  
 Length: 72"  
 Available Finishes: Brushed Nickel/Bronze/  
 Alum. Oxidation /Brown



90304

LED Pendant Light



Light Source: RGB LEDs + High Power LEDs  
 Beam Angle: 24°  
 Input Voltage: 100-240V AC 50/60Hz  
 Power Consumption: 8.5W  
 Material: Aluminum  
 Type of Hanging Device: Clear Electrical Wire ,  
 Length: 72"  
 Available Finishes: Brushed Nickel/Bronze/  
 Alum. Oxidand Brown

